The drawing(s) filed (insert date) [

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

approved by the Draftsperson under 37 CFR 1.84 or 1.152.

B. Sobjected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this notice.

BEST AVAILABLE COPY

1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings. Black int. Color of resings are not acceptable until petition is granted. City of resings are not acceptable until petition is granted. Fig. (a): Precit and non black ink not permitted. Fig.(b): 1 full-tion set is required. Fig.(c): Precit and non black ink not permitted. Fig.(c): Protroigraphs not properly mounted (must use brystol board or photographic double-weight paper). Fig.(c): Protroigraphs not properly mounted (must use brystol board or photographic double-weight paper). Fig.(c): Paper not flexible, strong, white, and durable. Fig.(d): Assisted to the policy of the production. Fig.(d): Mylar, vetum paper is not acceptable (ize of hin). Fig.(d): Assisted to the policy of the production. Fig.(d): Assisted to the policy of the production. Fig.(d): Assisted to the policy of the policy of the production of the same size. 2.10 cm by 27.9 cm (8.17 x 1.1 inches). Solid black standing not permitted. Fig.(s): Solid black standing on permitted. Fig.(s): Solid black standing not permitted.			·		
Black ink. Color. Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs not properly mounted (must use brystol board or photographs could be registed paper). Fig(s) Por quality (half-tone). Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and photographs not properly mounted (must use brystol board or photographs not incomplete in the same size. Pages of PAPER. 37 CFR 1.84(f). Acceptable sizes: Place of PAPER. 37 CFR 1.84(f). Acceptable sizes: Place of PAPER. 37 CFR 1.84(f). Acceptable margins: Place of PAPER. 37 CFR 1.84(f). Acceptable ma	1	DRA'WINGS, 37 CFR 1.84(a): Acceptable categories of drawings:	8. ARRANGEMENT OF VIEWS, 37 CFR 1.84(i)		
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) 1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs on properly mounted (must use brystol board or photographs on properly mounted (must use brystol board or photographs on properly mounted (must use brystol board or photographs on properly mounted (must use brystol board or photographs on properly mounted (must use brystol board or photographs on properly in paper.) Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, velum paper is not acceptable flexible. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.10 cm by 2.7. cm (Din Size A4) 2.1.6 cm by 2.7. cm (Din Size A4) 3. cm (Din Size A4) 3. cm					
becomes the right side, except for graphs. Fig(6) Pencil and non black ink not permitted. Fig(s) Photographs. 37 CFR 1.84 (p) Photographs not properly mounted (must use brystol board or photographs in double-weight paper). Fig(s) Proor quality (half-lone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Easures, alterations, overwritings, interlineations, folds, copy machine marks not acceptated. Fig(s) Mylat, velum paper is not acceptable for binin, fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (BIX 2x 11 inches) All drawing sheets not the same size. Shee(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: AS Size Top 2.5 cm					
Pencil and non black ink not permitted. Fig(s) 2 FIGTOGRAPHS. 37 CFR 1.84(p) 1 Full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Proor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, over-writings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not accepted. Fig(s) Mylar, velum paper is not accepted. Fig(s) Solid black and part of the same size. 3.1.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5					
2. PHOTOGRAPHS. 37 CFR 1.84 (g). 1. full-time set is required. Fig(s) 1. Full-time set is required. Fig(s) 1. Type of particles and properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(g) 2. Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(g). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (Bill standard). Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 3.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 3.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 3.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 3.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 3.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Company of the Size Company of the Size Company of t					
1 full-lone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly mounted (must use brystol board or photographs of properly fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(s) (and trable. Fig(s)	2				
Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) TOPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Mystar, yelum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 22.6 cm size A1					
photographic double-weight paper). Fig(s) Ford quality (half-tone). Fig(s) Ford quality (half-tone). Fig(s) 2. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 2.10. cm by 2.79 cm (DIN size A4) 2.10. cm by 2.79 cm (DIN size A4) 2.10. cm by 2.79 cm (B) Iz x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins not secrepathe: Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 7.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm S					
Foor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable. Fig(s) Mylar, velum paper is not acceptable tizes: 21.0 cm by 2.7 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A5) All drawing sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable is not an acceptable size. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Means not labeled separately or property. Fig(s) Means not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1) Left (L) Right (R) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction a					
3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 2.9.7 cm (DIN size A4) 21.6 cm by 2.7.9 cm (SIN size A4) 21.6 cm by 2.7.9 cm (SIN size A4) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A7 Size Top (T) Right (R) Bottom (B) 6. VIEWS 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Parial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Pig(s) Pig(s) Pig(s) Pig(s) Lead lines ross each other. Fig(s) Sheetis not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or property. Fig(s) Solid black shading not used for color contrast. Fig(s) Lead lines ross each other. Fig(s) Lead lines ross each other. Fig(s) Lead lines ross each other. Fig(s) Sheetis not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Sheetion not made from pror PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.84(m) Solid black shading not used for color contrast. Fig(s) Solid black shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s)					
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (foo thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS: 37 CFR 1.84(h)) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not prog not plating. Solid black shading not propen numbers and reference characters not oriented in the isame direction as the view. 37 CFR 1.84(p)(1) Fig(s) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(3) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.8	2				
Fig(s)	٦.				
Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s)					
folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.1.6 cm by 27.9 cm (DIN size A4) 2.1.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size Size Size Size Size Size Size Size	ĺ				
Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (BIN size A4) 37 CFR 1.84(g): Acceptable size. Shade lines, pale, rough and blurred. Fig(s) 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Left (Li) Size (Li C.1 cm Li C.2					
Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Shade lines are pale and pale an					
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 21. Numbers, letters, and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Leaf lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.54(q) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.					
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1:0 cm SIZE: 8 1/2-31 Margins not acceptable: Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Stress not labeled separately or property. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross cach other. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 12. NUMBERS, LETTERS. & REFERENCE CHARACTERS. 37 CFR 1.84(g) Chumbers and reference characters not plain and legible: Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Size left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Fig(s) Size left 3.5 cm Bottom 1.0 cm SIZE: A4 Size Size legreds are poor. Fig(s) Numbers and reference characters not oriented in the same directions as the view. 37 CFR 1.84(p)(2) Fig(s) Size left 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Size left 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Sheeting and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Size left 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Size left 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Sheeting 4.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Sheeting 4.2 cm (1/8 inch) in hei	١.				
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (7) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Prig(s) Prig(s) Prig(s) Prig(s) Prig(s)	4.				
All drawing sheets not the same size. Shee(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 7.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 7.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 7.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 7.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 1.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm SIZE: A6 Size Lead lines cross each other. Fig(s) NumBerInG OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sieg(s) Signing with numbe					
Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 1/2 31 Margins not acceptable: Fig(s) Top (T) Right (R) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheeting and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)					
Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 17-21 Margins not acceptable: Fig(s) ———————————————————————————————————					
S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A1 Size Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.					
Same direction as the view. 37 CFR 1.84(p)(1)	_				
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1:0 cm SIZE: 61/2-0.1 Margins not acceptable: Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Englarged view not labeled separately or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(3) 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.	5.	MARGINS. 37 CFR 1.84(g): Acceptable margins:			
SIZE: A4 Size Top 2.5 cm Left (2.5 cm Right 1.5 cm Bottom 1:0 cm SIZE: 81/2-31 Margins not acceptable: Fig(s) Top (1) Right (R) Reminder: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Section 1 abeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) SectionAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Signal alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Section (1/8 inch) in height. 37 CFR 1.84(p)(3) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines divered characters must be at least .32 cm (1/8 inch) in height. 37 CF			· · · · · · · · · · · · · · · · · · ·		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1:0 cm Size 12 12 13 Margins not acceptable: Fig(s)					
Numbers, letters and reference characters must be at least .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)					
Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Island LINES. 37 CFR 1.84(p)(3) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sixth Alexandra (I/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead Lines coss each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross					
Top (T) Left (L) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Remain numbers. Fig(s) Is LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.	l				
Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(n) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Lead lines missing. 14. NUMBERING OF SHETS OF DRAWINGS. 37 CFR 1.84(h) Corrections of made from prior PTO-948 dated 15. DeSIGN DRAWINGS. 37 CFR 1.84(u) Scenting lieu and in Arabic numerals beginning with number 1. Sheet(s) Corrections of DRAWINGS. 37 CFR 1.84(u) Scenting lieu and lieu and lieu and lieu and lieu a		·			
6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Matching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Possible for property. Fig(s) Lead lines cross each other. Fig(s) Lead lines	l				
REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(u) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s)					
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Fig(s) Enlarged view not labeled separately or property. Fig(s) Fig(s) Enlarged view not labeled separately or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) South Arabic numerals beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Solid black shading not used for color contrast.	6.				
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Pig(s) Fig(s) Enlarged view not labeled separately or property. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numerals beginning with number 1. Fig(s) Corrections 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s)					
Brackets needed to show figure as one entity. Pig(s)					
Fig(s) Fig(s) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Fig(s) Fig(s) Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)					
Views not labeled separately or property. Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) beginning with number 1. Fig(s) life CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated life SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) dated life SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Life SECTIONAL VIEWS. 37 CFR 1.85 Lif		Brackets needed to show figure as one entity.			
Fig(s) beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Fig(s) Corrections not made from prior PTO-948 dated 41. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig					
Enlarged view not labeled separetely or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) The CORRECTIONS. 37 CFR 1.84(w) Corrections to made from prior PTO-948 dated Atable 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s)					
Fig(s) Corrections not made from prior PTO-948 dated					
7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s)		Enlarged view not labeled separetely or properly.			
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) The DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s)					
Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s)	7.				
Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.		Hatching not indicated for sectional portions of an object.			
Roman numbers. Fig(s) Fig(s)		Fig(s)			
		Sectional designation should be noted with Arabic or	Solid black shading not used for color contrast.		
COMMENTS		Roman numbers. Fig(s)	Fig(s)		
COMMENTS		•			
COMMENTS					
COMMENTS					
	COMMENTS				
	`	- minimum 10			
			1		
	l				
	ĺ		•		
			•		
	l		•		
	Ь				

ATTACHMENT	TO PAPER NO.	<i>y</i> *

BEST AVAILABLE COPY

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit **acceptable** corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Attachment for PTO-948 (Rev. 03/01. or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1 136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Dransperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made other than correction of informalities, unless the examiner has approved the proposed changes

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a)

Failure to take corrective action within the set period will result in ABANDONMENT of the application